



□□□□ ... □□□□ □□□□ □□□□□ □□□□ □□□□ .

- [□□□□ SSL□□□ Certbot □□](#)
- [□□□□ Redis server □□](#)
- [□□□□ Samba mount □□ : Can't read superblock](#)
- [□□□□ □□ □□□□ Let's Encrypt □□□ □□](#)
- [Ubuntu PostgreSQL □□](#)



SSL

Certbot



📄 📄 : <https://certbot.eff.org/instructions?ws=nginx&os=ubuntu>

📄

1. sudo 📄 📄 📄 📄 📄 📄
2. ssh 📄 📄 📄 📄
3. 📄 80 📄 📄 📄 📄 📄

📄

📄 📄 snapd 📄 📄 .

```
sudo apt update
sudo apt install snapd
```

📄 📄 snapd 📄 📄 📄 📄 .

```
$ sudo snap install hello-world
hello-world 6.4 from Canonical✓ installed
$ hello-world
Hello World!
```

📄 📄 📄 📄 📄 📄 📄 📄 certbot 📄 📄 .

```
sudo apt remove certbot
```

📄 📄 📄 📄 .

```
sudo snap install --classic certbot
```

certbot 📄 📄 📄 .


```
sudo ln -s /snap/bin/certbot /usr/bin/certbot
```

在 NginX 配置文件中，在 NginX 配置 (.conf) 文件中添加以下配置。


```
sudo certbot --nginx
```

在配置文件中，添加以下配置，在配置文件中，添加以下配置。 --dry-run 选项用于测试配置是否正确。

```
sudo certbot renew --dry-run
```



Redis server



Before installing Redis, you need to install some dependencies.

```
sudo apt install lsb-release curl gpg
```

Next, you need to add the Redis repository to your system's package sources.

```
curl -fsSL https://packages.redis.io/gpg | sudo gpg --dearmor -o /usr/share/keyrings/redis-archive-keyring.gpg

echo "deb [signed-by=/usr/share/keyrings/redis-archive-keyring.gpg] https://packages.redis.io/deb $(lsb_release
-cs) main" | sudo tee /etc/apt/sources.list.d/redis.list

sudo apt-get update
sudo apt-get install redis
```

After installing Redis, you need to configure it.

```
sudo nano /etc/redis/redis.conf
```

Open the configuration file in a text editor and make the following changes:

```
bind 127.0.0.1 -::1 -> bind 0.0.0.0 -::1

port 6379 -> # port to listen on

# requirepass foobared
-> # password to require for authentication. 2023 Redis 7.0.12 requires a password to connect.
# foobared

# maxmemory <bytes>
-> # maximum memory to use. 0 means unlimited.
-> # maxmemory-policy noeviction # maxmemory-policy noeviction
```

Finally, you need to enable the Redis service to start on boot.

```
❯ systemctl start redis-server
```

1. Redis 启动失败 (<https://velog.io/@inhwa1025/Redis-redis.conf-%EC%A4%EC%A0%95-%ED%8C%8C%EC%9D%BC-%EC%A3%BC%EC%9A%94-%EC%98%B5%EC%85%98-%EC%A0%95%EB%A6%AC>)



Samba mount



: Can't read superblock

|||| | ||| | | ||| | | ||| | | ACL| ||| ||| | | ||| .

| | ||| | ||| ||| .

□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□
□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□


```
# Create the file repository configuration:
```

```
# Import the repository signing key:
```

```
# Update the package lists:
```

```
# Install the latest version of PostgreSQL.
```

If you want a specific version, use 'postgresql-12' or similar instead of 'postgresql':

.