9. Case

```
#!/bin/sh
echo "Please talk to me ..."
while :
do
  read INPUT_STRING
  case $INPUT_STRING in
        hello)
                echo "Hello yourself!"
                ;;
        bye)
                echo "See you again!"
                break
                ;;
        *)
                echo "Sorry, I don't understand"
                ;;

  esac
done
echo
echo "That's all folks!"
```

□□ ,□□ □□□ □□ □□□ □□□ □□ □□□ □□□□ !

□□□□ □□ □□□□ □□ □□ ...

```
$ ./talk.sh
Please talk to me ...
hello
Hello yourself!
What do you think of politics?
Sorry, I don't understand
bye
See you again!
```

```
That's all folks!
$
```

□□ □□ □□□□ : case □□ □ □□□ □□ □□ □□□ , □□ □□ INPUT_STRING□ □□ □□□□□ □□ □□□□ .

□□ □□ □□ □□□ □□ □□□ □ □ □□□ hello) □ bye)□ □□□□ . □ , INPUT_STRING□ hello□ □□□□ □□ □□ □□ □ □□□□ □□□ , INPUT_STRING□ "bye" □ □□□ "goodbye"□□□ □□□□ □□ □□□□ . □□□□ □□ □□□□ break □□ exit □□ □□□ □□ . □□ □ □□ □□ *)□ □□ catch-all □□□□ , □□ □□□ test □□ □□ □□ □□ □□□ □□□ □□ □□□ □□ □□ □□□ .

□□ case □□ esac(□□□□ □□ !)□□ □□ , done□□ while □□□ □□□□ .

Case □□ □□□□ □□ □□ □□□□ □□ □□ □ □ □□□ . case □□ □ □□□□ □□ □□□□ □□ □□□ □ □ □□ , □□ □□□ □□□□ .